

PATENT ABSTRACTS OF JAPAN

(11)Publication number : 64-020910

(43)Date of publication of application : 24.01.1989

(51)Int.Cl.

B23C 5/10

(21)Application number : 63-165190

(71)Applicant : SECO TOOLS AB


(22)Date of filing : 04.07.1988

(72)Inventor : STRAND BENGT N G
EKLUND SVEN L

(30)Priority

Priority number : 87 8702799 Priority date : 08.07.1987 Priority country : SE

(54) METAL CUTTING TOOL



(57)Abstract:

PURPOSE: To positively mount a milling tool or the like of small dimensions by constituting a metal cutting tool composed of a cutting body and a shaft, in such a way that the cutting body is connected to a locking screw through an engaging means when the locking screw is screwed into the shaft.

CONSTITUTION: The edge 13 of a cutting body 10 protruded from a shaft 12 is provided with at least one cutting edge that can be differently designed according to an applied field or use. A circular cone part 14 having an engaging means 15 comprising a tongue part 16 and a recess 17 is formed on the rear end side of the cutting body 10. In order to mount the cutting body 10 to the shaft 12, a locking screw 11 is axially moved toward the open end of a conical seat 25. The engaging means 15 of the cutting body 10 is therefore inserted in the conical seat 25 and automatically comes into a position to be engaged with an engaging means 19 of the locking screw 11. When the cutting body 10 is rotated in the direction of an arrow mark 27, the locking screw 11 is

also rotated in the direction of the arrow mark 27. The cooperation of a thread 22 and an internal thread 26 moves the locking screw 11 and the cutting body 10 until the circular cone part 14 comes in contact with the conical seat 25.

LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]

PATENT ABSTRACTS OF JAPAN

(11)Publication number : 64-022385

(43)Date of publication of application : 25.01.1989

(51)Int.Cl.

B07B 1/46

B07B 1/54


(21)Application number : 62-176021

(71)Applicant : SHOWA DENKO KK

(22)Date of filing : 16.07.1987

(72)Inventor : HAMADA TOKUO

(54) METHOD FOR BONDING SCREEN NET



(57)Abstract:

PURPOSE: To make an upper net renewable any number of times without changing a lower net by bonding the lower net of the screen to a frame with a curing agent-contg. adhesive and then bonding the upper net thereon with a solvent volatilizing-type rubber-base adhesive.

CONSTITUTION: Seven parts of a principal is mixed with three parts of a curing agent and agitated to obtain a polyisocyanate adhesive as a curing agent-contg. cold-setting adhesive. The polyisocyanate adhesive 7 is thinly applied to the frame of a screen and dried for 10 min. The lower net 2 made of nylon is placed on the frame and drawn by a stretcher, and the polyisocyanate adhesive 7 is applied from above the net and detached from the stretcher after 60 min. Subsequently, the upper net 1 made of nylon is placed on the frame, pulled by the stretcher, a solvent volatilizer is applied, and the upper net 1 is bonded.

LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision
of rejection]

[Date of requesting appeal against examiner's
decision of rejection]

[Date of extinction of right]